
Primus - Acoustic Fabric Wall Panel







primus ACOUSTICS

create a ***quieter*** environment





OVERVIEW

Primus Acoustic Fabric Wall Panels are designed to reduce the reverberation &Echoes in rooms. These panels specifically designed as a standard absorber panel that offers an economical way to resolve reverberant noise problems.

These panels can be applied to existing walls including block and gypsum walls, and metal cabinet to absorb reflected sound. Primus are constructed with a high quality fiber glass substrate & covered with a face laminated fabric. Each panel is face laminated in the fabric of your choice and available in custom sizes up to a maximum of 60" x 120". Panels can be manufactured in a variety of fabrics.

Primus acoustic wall panels provide the ultimate in performance with excellent NRC ratings. Panels are available in two standard thicknesses (1" and 2"), with custom thickness available. Panels are constructed with a 6-7 # PCF rigid fiberglass absorber core. The edges are chemically hardened and are available in 3 edge profiles. Panels are available in standard or custom-sizes Installation of the panels is simple; using mechanical clips, adhesive or hook & loop.


ACOUSTIC FABRIC WALL PANEL APPLICATIONS

Primus Acoustic Fabric Wall Panels provide excellent acoustical and aesthetic enhancement to these typical spaces:

- Offices, Meeting Rooms, Multi-Purpose Rooms
- Reception
- Call Centers, Recording Studio
- Public Entertainment Cinema Theatre
- Music Room, Auditoriums



PANEL EDGE OPTIONS




ACOUSTIC FABRIC PANEL SIZES, FINISHES & COLORS

The following standard panels are offered. Custom sizes, finishes and colors are available.

- Panel Thickness: Standard units are 1"/25 mm & 2"/50 mm thick.
- Panel Sizes: Standard units are 30" wide X lengths up to 12'.
- Panel Materials: fiber glass, fabric, aluminium Profile.

Sound Absorption Coefficient							
	FREQUENCY (Hz)						
Thickness (MM)	125	250	500	1000	2000	4000	NRC
Primus -1 (25)	0.20	0.50	0.95	0.90	0.90	0.85	0.9
Primus -2 (50)	0.32	0.77	1.12	1.01	0.86	0.72	1.15



MOUNTING

- Z - Clip
- Adhesive
- Impaling Clip



Commitment to Excellence in Acoustic Insulation

Quiet and Peace living

Organix Building System LLC
Dubai – United Arab Emirates
Email : info@organixbs.com, www.organixbs.com